

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁷ : C07K	A2	(11) International Publication Number: WO 00/55180 (43) International Publication Date: 21 September 2000 (21.09.00)
(21) International Application Number: PCT/US00/05918 (22) International Filing Date: 8 March 2000 (08.03.00) (30) Priority Data: 60/124,270 12 March 1999 (12.03.99) US (71) Applicants (for all designated States except US): HUMAN GENOME SCIENCES, INC. [US/US]; 9410 Key West Avenue, Rockville, MD 20850 (US). ROSEN, Craig, A. [US/US]; 22400 Rolling Hill Road, Laytonsville, MD 20882 (US). (72) Inventor; and (75) Inventor/Applicant (for US only): RUBEN, Steven, M. [US/US]; 18528 Heritage Hills Drive, Laytonsville, MD 20882 (US). (74) Agents: WALES, Michele, M. et al.; Human Genome Sciences, Inc., 9410 Key West Avenue, Rockville, MD 20850 (US).		(81) Designated States: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG). Published <i>Without international search report and to be republished upon receipt of that report.</i>
(54) Title: HUMAN LUNG CANCER ASSOCIATED GENE SEQUENCES AND POLYPEPTIDES (57) Abstract <p>This invention relates to newly identified lung or lung cancer related polynucleotides and the polypeptides encoded by these polynucleotides herein collectively known as "lung cancer antigens", and to the complete gene sequences associated therewith and to the expression products thereof, as well as the use of such lung cancer antigens for detection, prevention and treatment of disorders of the lung, particularly the presence of lung cancer. This invention relates to the lung cancer antigens as well as vectors, host cells, antibodies directed to lung cancer antigens and recombinant and synthetic methods for producing the same. Also provided are diagnostic methods for diagnosing and treating, preventing and/or prognosing disorders related to the lung, including lung cancer, and therapeutic methods for treating such disorders. The invention further relates to screening methods for identifying agonists and antagonists of lung cancer antigens of the invention. The present invention further relates to methods and/or compositions for inhibiting the production and/or function of the polypeptides of the present invention.</p>		

obtained from said subject nucleic acid molecules, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence of the cDNA in the related cDNA clone contained in the deposit.

Also preferred is the above method for diagnosing a pathological condition which comprises a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the related cDNA clone contained in the deposit. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a DNA microarray or "chip" of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 100, 150, 200, 250, 300, 500, 1000, 2000, 3000 or 4000 nucleotide sequences, wherein at least one sequence in said DNA microarray or "chip" is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; and a nucleotide sequence encoded by the cDNA in the cDNA clone referenced in Table 1. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

Also preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the

gatgtacagt tacccagcac g

561

<210> 50

<211> 1211

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (1189)

<223> n equals a,t,g, or c

<220>

<221> misc feature

<222> (1191)

<223> n equals a,t,g, or c

<400> 50

```
ggcgggttcag ccatgaggct ggctgtgctt ttctcggggg ccctgctggg gctactggca 60
gcccagggga caggaatga ctgtcctcac aaaaaatcag ctactttgct gccatccttc 120
acggtgamac ccacggttac agagagcact ggaacaacca gccacaggac taccaagagc 180
cacaaaacca ccaactcacag gacaaccacc acaggcacca ccagccacgg acccacgact 240
gccactcaca accccaccac caccagccat ggaaacgtca cagttcatcc aacaagcaat 300
agcactgcc aagccaggg accctcaact gccactcaca gtctgcccac cactagtcac 360
ggaaatgcc cggttcatcc aacaagcaac agcactgcc ccagcccagg attcaccagt 420
tctgcccacc cagaaccacc tccaccctct ccgagtccta gcccacctc caaggagacc 480
attggagact acacgtggac caatgggttc cagccctgtg tccacctcca agcccagatt 540
cagattcgag tcatgtacac aaccagggt ggaggagagg cctggggcat ctctgtactg 600
aaccacaaca aaaccaaggc ccagggaagc tgtgagggtg cccatcccca cctgcttctc 660
tcattcccct atggacacct cagctttgga ttcatgcagg acctccagca gaaggttgtc 720
tacctgagct acatggcggt ggagtacaat gtgtccttcc cccacgcagc acagtggaca 780
ttctcggctc agaatgcac ccttcgagat ctccaagcac ccctggggca gagcttcagt 840
tgcagcaact cgagcatcat tctttacca gctgtccacc tcgacctgct ctccctgagg 900
ctccaggctg ctacagctgc ccacacaggg gtctttgggc aaagtttctc ctgccccagt 960
gaccgggtcca tcttgctgcc tctcatcatc ggctgatcc ttcttggcct cctcgccctg 1020
gtgcttattg ctttctgcat catccggaga cgcctaccg cctaccaggc cctctgagca 1080
tttgcttcaa accccagggc actgagggg ttgggggtgtg gtgggggggt acctatttc 1140
ctcgacacgc aactggctca aagtgtggga ttataagcgt gagcaacgng ncggctgctt 1200
aaattattta t 1211
```

<210> 51

<211> 1600

<212> DNA

<213> Homo sapiens

<220>

<221> misc feature

<222> (41)

<223> n equals a,t,g, or c

<220>